

~~RECEIVED~~
FOR OFFICIAL USE ONLY ~~RECEIVED~~ACCESS DB # 265708
PLEASE PRINT CLEARLY

JUL-9 2008

Scientific and Technical Information Center

U.S. CHEMICAL & PETRO.
(STIC)SEARCH REQUEST FORM
(SFR)

Requester's Full Name: Savitra Rao Examiner #: _____ Date: 07/08/2008
 Art Unit: 1614 Phone Number: 0-5315 Serial Number: 10590445
 Location (Block/Room#): 2079 (Mailbox #): _____ Results Format Preferred (circle): PAPER DISK

To ensure an efficient and quality search, please attach a copy of the cover sheet, claims, and abstract or fill out the following:

Title of Invention: Method & Materials for assessing prostate cancer
 Inventors (please provide full names): Michael E. Jung et al

Earliest Priority Date: 02/24/2004

Search Topic:

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc., if known.

For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent number(s) along with the appropriate serial number.


Please search the highlighted material in
 the attached claim set.

=> d ibib abs hitstr 18 1-2


L8 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2006:1228845 HCAPLUS Full-text
 DOCUMENT NUMBER: 145:505452
 TITLE: Preparation of diarylhdydantoin compounds as androgen receptor antagonists useful against hormone refractory prostate cancer
 INVENTOR(S): Sawyers, Charles L.; Jung, Michael E.; Chen, Charlie L.; Ouk, Samedy; Welstbie, Derek; Tran, Chris; Wongvipat, John; Yoo, Dongwon
 PATENT ASSIGNEE(S): The Regents of the University of California, USA
 SOURCE: PCT Int. Appl., 166pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006124118	A1	20061123	WO 2006-US11417	20060329
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
AU 2006248109	A1	20061123	AU 2006-248109	20060329
CA 2608436	A1	20061123	CA 2006-2608436	20060329
EP 1893196	A1	20080305	EP 2006-748863	20060329
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL, BA, HR, MK, YU				
US 20070004753	A1	20070104	US 2006-433829	20060515
NO 2007006401	A	20080208	NO 2007-6401	20071212
KR 2008014039	A	20080213	KR 2007-729188	20071213
IN 2007DN09668	A	20080620	IN 2007-DN9668	20071213
PRIORITY APPLN. INFO.:			US 2005-680835P	P 20050513
			US 2005-750351P	P 20051215
			US 2006-756552P	P 20060106
			US 2006-785978P	P 20060327
			WO 2006-US11417	W 20060329


OTHER SOURCE(S): MARPAT 145:505452
 GI




- AB** The present invention relates to diarylhydantoin compds., including diarylthiohydantoins (shown as I; variables defined below; e.g. N-methyl-4-[7-(4-cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]-2-fluorobenzamide (shown as II)), and methods for synthesizing them and using them in the treatment of hormone refractory prostate cancer. For I: X = trifluoromethyl and iodo; W = O and NR₅; R₅ = H, Me, and -C(:D)-E-G, (D is S or O and E is N or O and G is (un)substituted alkyl or aryl, or D is S or O and E-G together are C₁-C₄ lower alkyl); R₁ and R₂ together comprise eight or fewer C atoms and = (un)substituted alkyl including haloalkyl, and, together with the C to which they are linked, (un)substituted cycloalkyl; R₃ = H, halogen, Me, C₁-C₄ alkoxy, formyl, haloacetoxy, trifluoromethyl, cyano, nitro, hydroxy, Ph, amino, methylcarbamoyl, methoxycarbonyl, acetamido, methanesulfonamino, methanesulfonyl, 4-methanesulfonyl-1-piperazinyl, piperazinyl, and C₁-C₆ alkyl or alkenyl (un)substituted with hydroxy, methoxycarbonyl, cyano, amino, amido, nitro, (un)substituted carbamoyl including methylcarbamoyl, dimethylcarbamoyl, and hydroxyethylcarbamoyl; R₃ is not methylanaminomethyl or dimethylanaminomethyl; and R₄ = H, halogen, alkyl, and haloalkyl. Methods of preparation are claimed and preps. and/or characterization data for .apprx.60 examples of I are included. For example, II was prepared in 4 steps (91, 94, 89, 57 % yields, resp.) involving intermediates N-methyl-2-fluoro-4-nitrobenzamide, N-methyl-2-fluoro-4-aminobenzamide, and N-methyl-4-(1-cyanocyclobutylamino)-2-fluorobenzamide; the last step comprises cyclization of 4-isothiocyanato-2-trifluoromethylbenzonitrile (preparation given) with N-methyl-4-(1-cyanocyclobutylamino)-2-fluorobenzamide in DMF under microwave irradiation at 80° for 16 h followed by refluxing for 3 h after addition of MeOH and 2 N HCl.
- IT** 90357-06-5, Bicalutamide
- RL:** PAC (Pharmacological activity); BIOL (Biological study)
(comparison; preparation of diarylhydantoin compds. as androgen receptor antagonists useful against hormone refractory prostate cancer)
- RN** 90357-06-5 HCPLUS
- CN** Propanamide, N-[4-cyano-3-(trifluoromethyl)phenyl]-3-[(4-fluorophenyl)sulfonyl]-2-hydroxy-2-methyl- (CA INDEX NAME)



- IT 155180-53-3P, 4-[3-(4-Hydroxybutyl)-4,4-dimethyl-5-oxo-2-thioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (comparison; preparation of diarylhydantoin compds. as androgen receptor antagonists useful against hormone refractory prostate cancer)
- RN 155180-53-3 HCPLUS
- CN Benzonitrile, 4-[3-(4-hydroxybutyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)



- IT 915086-79-2P, 1-(4-Cyano-3-trifluoromethylphenyl)-3-[7-(4-cyano-3-trifluoromethylphenyl)-6-thioxo-5-(p-tolyl)-5,7-diazaspiro[3.4]octan-8-ylidene]thiourea
 RL: PAC (Pharmacological activity); PRP (Properties); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (drug candidate, x-ray mol. structure; preparation of diarylhydantoin compds. as androgen receptor antagonists useful against hormone refractory prostate cancer)
- RN 915086-79-2 HCPLUS
- CN Thiourea, N-[4-cyano-3-(trifluoromethyl)phenyl]-N'-(7-[4-cyano-3-(trifluoromethyl)phenyl]-5-(4-methylphenyl)-6-thioxo-5,7-diazaspiro[3.4]octan-8-ylidene)- (CA INDEX NAME)




- IT 915086-29-2P, 4-[3-(4-Aminophenyl)-4,4-dimethyl-5-oxo-2-thioximidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-32-7P, 4-[3-(4-Hydroxyphenyl)-4,4-dimethyl-5-oxo-2-thioximidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-38-3P, 4-[8-Imino-6-thioxo-5-(4-methylphenyl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-81-6P, 4-[8-(4-Hydroxymethylphenyl)-5-oxo-7-thioxo-6-azaspiro[3.4]octan-6-yl]-2-trifluoromethylbenzonitrile
 915086-82-7P, 4-[5-(4-Formylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-84-9P 915086-87-2P, 3-[4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]propionic acid methyl ester 915086-88-3P,
 3-[4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]propionic acid 915086-93-0P,
 4-[4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]butyric acid methyl ester
 915086-94-1P, 4-[4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]butyric acid
 915086-95-2P, 4-[4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]butyramide
 915086-96-3P, 4-[4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]-N-methylbutyramide
 915087-00-2P, 4-[4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-imino-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]piperazine-1-carboxylic acid
 tert-butyl ester 915087-02-4P, 4-[8-Oxo-5-[4-(piperazin-1-yl)phenyl]-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915087-09-1P, [4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]acetic acid methyl ester 915087-10-4P,
 [4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]acetic acid 915087-15-5P,
 4-[3-(4-Cyano-3-trifluoromethylphenyl)-5,5-dimethyl-4-oxo-2-thioximidazolidin-1-yl]benzoic acid methyl ester 915087-17-1P,
 Methanesulfonic acid [4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]methyl ester
 915087-21-7P, 4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]benzoic acid methyl ester
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP

(Preparation); RACT (Reactant or reagent); USES (Uses)
 (drug candidate; preparation of diarylyhdantoin compds. as androgen receptor

antagonists useful against hormone refractory prostate cancer)


RN 915086-29-2 HCAPLUS

CN Benzonitrile, 4-[3-(4-aminophenyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-32-7 HCAPLUS

CN Benzonitrile, 4-[3-(4-hydroxyphenyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-38-3 HCAPLUS

CN Benzonitrile, 4-[8-imino-5-(4-methylphenyl)-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-81-6 HCPLUS

CN Benzonitrile, 4-[8-[4-(hydroxymethyl)phenyl]-5-oxo-7-thioxo-6-azaspiro[3.4]oct-6-yl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915086-82-7 HCPLUS


CN Benzonitrile, 4-[5-(4-formylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915086-84-9 HCPLUS


CN 2-Propenoic acid, 3-[4-[7-[4-cyano-3-(trifluoromethyl)phenyl]phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]phenyl-, ethyl ester, (2E)- (CA INDEX NAME)

Double bond geometry as shown.




RN 915086-87-2 HCPLUS

CN Benzenepropanoic acid, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-, methyl ester (CA INDEX NAME)




RN 915086-88-3 HCPLUS

CN Benzenepropanoic acid, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915086-93-0 HCPLUS

CN Benzenebutanoic acid, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-, methyl ester (CA INDEX NAME)




RN 915086-94-1 HCPLUS

CN Benzenebutanoic acid, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915086-95-2 HCPLUS

CN Benzenebutanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915086-96-3 HCPLUS


CN Benzenebutanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-N-methyl- (CA INDEX NAME)




RN 915087-00-2 HCPLUS
 CN 1-Piperazinecarboxylic acid, 4-[4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-imino-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]phenyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)



RN 915087-02-4 HCPLUS
 CN Benzonitrile, 4-[8-oxo-5-[4-(1-piperazinyl)phenyl]-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-09-1 HCPLUS
 CN Benzeneacetic acid, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-, methyl ester (CA INDEX NAME)




RN 915087-10-4 HCPLUS

CN Benzeneacetic acid, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915087-15-9 HCPLUS

CN Benzoic acid, 4-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]-, methyl ester (CA INDEX NAME)




RN 915087-17-1 HCPLUS

CN Benzonitrile, 4-[5-[4-[(methylsulfonyl)oxy]methyl]phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915087-21-7 HCPLUS

CN Benzoic acid, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-, methyl ester (CA INDEX NAME)



IT 915086-30-5P, 4-[3-(4-Azidophenyl)-4,4-dimethyl-5-oxo-2-thioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-33-8P, Chloroacetic acid 4-[3-(4-cyano-3-trifluoromethylphenyl)-5,5-dimethyl-4-oxo-2-thioxoimidazolidin-1-yl]phenyl ester 915086-35-0P, 4-[3-(4-Methylphenyl)-4,4-dimethyl-5-oxo-2-thioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-36-1P, 4-(3-Phenyl-4,4-dimethyl-5-oxo-2-thioxoimidazolidin-1-yl)-2-trifluoromethylbenzonitrile 915086-39-4P,
 4-[8-Oxo-6-thioxo-5-(4-methylphenyl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915086-40-7P, 4-[4-Oxo-2-thioxo-1-(4-methylphenyl)-1,3-diazaspiro[4.4]nonan-3-yl]-2-trifluoromethylbenzonitrile
 915086-42-9P, 4-[4-Oxo-2-thioxo-1-(4-methylphenyl)-1,3-diazaspiro[4.5]decan-3-yl]-2-trifluoromethylbenzonitrile
 915086-44-1P, 4-[4-Oxo-2-thioxo-1-(4-methylphenyl)-1,3-diazaspiro[4.6]undecan-3-yl]-2-trifluoromethylbenzonitrile
 915086-47-4P, 4-[8-Oxo-6-thioxo-5-(4-hydroxyphenyl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-49-6P, 4-[8-Oxo-6-thioxo-5-(biphenyl-4-yl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-51-9P, 4-[8-Oxo-6-thioxo-5-(naphthalen-2-yl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-53-2P, 4-[4,4-Dimethyl-3-(4-methylpyridin-2-yl)-5-oxo-2-thioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile

915086-55-4P, 4-[4,4-Dimethyl-3-(pyridin-2-yl)-5-oxo-2-thioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-57-6P, 4-[5-(5-Methyl-1H-pyrazol-3-yl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-58-7P, 4-[3-(4-Hydroxyphenyl)-4,4-dimethyl-2,5-dithioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-59-8P, 4-[3-(4-Hydroxyphenyl)-4,4-dimethyl-2,5-dioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile 915086-61-2P
 , 4-[4-Fluoromethyl-4-methyl-5-oxo-2-thioxo-3-(4-methylphenyl)imidazolidin-1-yl]-2-trifluoromethylbenzonitrile 915086-63-4P,
 4-[4,4-Dimethyl-5-oxo-2-thioxo-3-(4-trifluoromethylphenyl)imidazolidin-1-yl]-2-trifluoromethylbenzonitrile 915086-65-6P,
 4-[4,4-Bis(chloromethyl)-5-oxo-2-thioxo-3-(4-methylphenyl)imidazolidin-1-yl]-2-trifluoromethylbenzonitrile 915086-66-7P,
 2-[3-(4-Cyano-3-trifluoromethylphenyl)-5,5-dimethyl-4-oxo-2-thioxoimidazolidin-1-yl]benzoic acid 915086-68-9P,
 4-[8-Oxo-6-thioxo-5-(2-methylphenyl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915086-71-1P, 4-[1-(4-Nitrophenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]nonan-3-yl]-2-trifluoromethylbenzonitrile
 915086-72-5P, 4-[1-(4-Cyanophenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]nonan-3-yl]-2-trifluoromethylbenzonitrile
 915086-75-8P, 4-[8-Methyl-4-oxo-2-thioxo-1-(4-methylphenyl)-1,3,8-triazaspiro[4.5]decan-3-yl]-2-trifluoromethylbenzonitrile
 915086-76-9P, 4-[8-Methylimino-6-thioxo-5-(p-tolyl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-77-0P, 1-[3-(4-Cyano-3-trifluoromethylphenyl)-5,5-dimethyl-2-thioxo-1-(p-tolyl)imidazolidin-4-ylidene]-3-ethylthiourea
 915086-78-1P, 1-[7-(4-Cyano-3-trifluoromethylphenyl)-6-thioxo-5-(p-tolyl)-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-83-8P, 4-[5-(4-[1-Hydroxyethyl]phenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-85-0P, 4-[5-[4-(E)-3-Hydroxyprop-1-enyl]phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile
 915086-89-4P, 3-[4-(7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl)propionamide
 915086-90-7P, 3-[4-(7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl)phenyl]-N-methylpropionamide
 915086-91-8P, 3-[4-(7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl)butanoyl]methanesulfonamide 915086-97-4P, N-[4-(4-[7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]butanoyl]methanesulfonamide 915086-98-5P,
 N-Methyl-4-[4-(7-(4-cyano-3-trifluoromethylphenyl)-6,8-dioxo-5,7-diazaspiro[3.4]octan-5-yl)phenyl]butyramide 915087-01-3P,
 4-[4-(7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl)thiocarbamoyliminol]-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl)piperazine-1-carboxylic acid tert-butyl ester 915087-03-5P, 4-[5-[4-(4-Methylsulfonylpiperazin-1-yl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915087-05-7P, (E)-3-[4-(7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl)phenyl]acrylamide 915087-07-5P, 4-[5-(4-Methylsulfonylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915087-11-5P, 2-[4-(7-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl)phenyl]acetamide 915087-12-6P, N-Methyl-2-[4-(7-(4-cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl)phenyl]acetamide 915087-13-7P, N-[4-(3-(4-Cyano-3-trifluoromethylphenyl)-5,5-dimethyl-4-oxo-2-thioxoimidazolidin-1-yl)phenyl]methanesulfonamide 915087-14-8P, N-[4-(3-(4-Cyano-3-

trifluoromethylphenyl)-5,5-dimethyl-4-oxo-2-thioxoimidazolidin-1-yl]acetamide 915087-16-0P, 4-[3-(4-Cyano-3-trifluoromethylphenyl)-5,5-dimethyl-4-oxo-2-thioxoimidazolidin-1-yl]-N-methylbenzamide 915087-18-2P, 4-[5-[4-[(Methylamino)methyl]phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915087-19-3P, 4-[5-[4-[(Dimethylamino)methyl]phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915087-22-8P, N-(3-Cyano-4-trifluoromethylphenyl)-4-[7-(4-cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]benzamide 915087-23-9P, N-Methyl-1-[7-(4-cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]benzamide 915087-27-3P, N-Methyl-4-[7-(4-cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]-2-fluorobenzamide 915087-29-5P, 4-[5-(2-Fluoro-4-hydroxyphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-trifluoromethylbenzonitrile 915087-31-9P, 4-[1-(4-Cyano-3-fluorophenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]nonan-3-yl]-2-trifluoromethylbenzonitrile 915087-33-1P 915087-35-3P, 4-[3-[4-Cyano-3-(trifluoromethyl)phenyl]-4-oxo-2-thioxo-1,3-diazaspiro[4.4]nonan-1-yl]-2-fluoro-N-methylbenzamide 915087-40-0P, 4-[4-[7-(4-Cyano-3-(trifluoromethyl)phenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenyl]-N,N-dimethylbutanamide 915087-41-1P, 4-[5-[4-(3-Cyanopropyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl]-2-(trifluoromethyl)benzonitrile 915087-42-2P 915087-43-3P 915087-44-4P 915087-45-5P 915087-46-6P 915087-47-7P 915087-48-8P 915087-49-9P 915087-50-2P 915087-51-3P 915087-52-4P 915087-59-1P 915087-60-4P 915087-62-6P 915087-63-7P 915087-64-8P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of diarylhantoin compds. as androgen receptor

antagonists useful against hormone refractory prostate cancer)


RN 915086-30-5 HCPLUS

CN Benzonitrile, 4-[3-(4-azidophenyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-33-8 HCPLUS

CN Acetic acid, 2-chloro-, 4-[3-(4-cyano-3-(trifluoromethyl)phenyl)-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]phenyl ester (CA INDEX NAME)




RN 915086-35-0 HCAPLUS

CN Benzonitrile, 4-[4,4-dimethyl-3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-36-1 HCAPLUS

CN Benzonitrile, 4-(4,4-dimethyl-5-oxo-3-phenyl-2-thioxo-1-imidazolidinyl)-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-39-4 HCAPLUS


CN Benzonitrile, 4-[5-(4-methylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-40-7 HCPLUS
 CN Benzonitrile, 4-[1-(4-methylphenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-42-9 HCPLUS
 CN Benzonitrile, 4-[1-(4-methylphenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.5]dec-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-44-1 HCPLUS
 CN Benzonitrile, 4-[1-(4-methylphenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.6]undec-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-47-4 HCPLUS
 CN Benzonitrile, 4-[5-(4-hydroxyphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-49-6 HCPLUS
 CN Benzonitrile, 4-(5-[1,1'-biphenyll-4-yl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl)-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-51-0 HCPLUS
 CN Benzonitrile, 4-[5-(2-naphthalenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-53-2 HCPLUS
 CN Benzonitrile, 4-[4,4-dimethyl-3-(4-methyl-2-pyridinyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915086-55-4 HCPLUS
 CN Benzonitrile, 4-[4,4-dimethyl-5-oxo-3-(2-pyridinyl)-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-57-6 HCPLUS
 CN Benzonitrile, 4-[5-(5-methyl-1H-pyrazol-3-yl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-58-7 HCPLUS

CN Benzonitrile, 4-[3-(4-hydroxyphenyl)-4,4-dimethyl-2,5-dithioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-59-8 HCPLUS

CN Benzonitrile, 4-[3-(4-hydroxyphenyl)-4,4-dimethyl-2,5-dioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-61-2 HCPLUS


CN Benzonitrile, 4-[4-(fluoromethyl)-4-methyl-3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-63-4 HCAPLUS
 CN Benzonitrile, 4-[4-(4-dimethyl-5-oxo-2-thioxo-3-{4-(trifluoromethyl)phenyl}-1-imidazolidinyl)-2-(trifluoromethyl)-] (CA INDEX NAME)



RN 915086-65-6 HCAPLUS
 CN Benzonitrile, 4-[4-(4-bis(chloromethyl)-3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl)-2-(trifluoromethyl)-] (CA INDEX NAME)




RN 915086-66-7 HCAPLUS
 CN Benzoic acid, 2-[3-(4-cyano-3-(trifluoromethyl)phenyl)-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]- (CA INDEX NAME)




RN 915086-68-9 HCPLUS

CN Benzonitrile, 4-[5-(2-methylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-71-4 HCPLUS

CN Benzonitrile, 4-[1-(4-nitrophenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-72-5 HCPLUS

CN Benzonitrile, 4-[1-(4-cyanophenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-75-8 HCAPLUS

CN Benzonitrile, 4-[8-methyl-1-(4-methylphenyl)-4-oxo-2-thioxo-1,3,8-triazaspiro[4.5]dec-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-76-9 HCAPLUS

CN Benzonitrile, 4-[8-(methylimino)-5-(4-methylphenyl)-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-77-0 HCAPLUS

CN Thiourea, N-[3-{4-cyano-3-(trifluoromethyl)phenyl}-5,5-dimethyl-1-(4-methylphenyl)-2-thioxo-4-imidazolidinylidene]-N'-ethyl- (CA INDEX NAME)




RN 915086-78-1 HCAPLUS

CN Thiourea, N-[7-[4-cyano-3-(trifluoromethyl)phenyl]-5-(4-methylphenyl)-6-thioxo-5,7-diazaspiro[3.4]oct-8-ylidene]-N'-phenyl- (CA INDEX NAME)



RN 915086-83-8 HCAPLUS


CN Benzonitrile, 4-[5-[4-(1-hydroxyethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-85-0 HCAPLUS

CN Benzonitrile, 4-[5-[4-(1E)-3-hydroxy-1-propen-1-yl]phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl-2-(trifluoromethyl)- (CA INDEX NAME)


Double bond geometry as shown.



RN 915086-89-4 HCPLUS
 CN Benzenepropanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915086-90-7 HCPLUS
 CN Benzenepropanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-N-methyl- (CA INDEX NAME)




RN 915086-91-8 HCPLUS
 CN Benzenepropanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-

thioxo-5,7-diazaspiro[3.4]oct-5-yl]-N-(2-hydroxyethyl)- (CA INDEX NAME)




RN 915086-97-4 HCAPLUS

CN Benzenebutanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-N-(methylsulfonyl)- (CA INDEX NAME)



RN 915086-98-5 HCAPLUS

CN Benzenebutanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-6,8-dioxo-5,7-diazaspiro[3.4]oct-5-yl]-N-methyl- (CA INDEX NAME)




RN 915087-01-3 HCAPLUS


CN 1-Piperazinecarboxylic acid, 4-[4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-[[[4-cyano-3-(trifluoromethyl)phenyl]amino]thioxomethyl]imino]-6-thioxo-

5,7-diazaspiro[3.4]oct-5-ylphenyl-, 1,1-dimethylethyl ester (CA INDEX NAME)

PAGE 1-A




PAGE 2-A



RN 915087-03-5 HCPLUS


CN Benzonitrile, 4-[5-[4-[4-(methylsulfonyl)-1-piperazinyl]phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915087-05-7 HCPLUS


CN 2-Propenamide, 3-[4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]phenyl]-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.




RN 915087-07-9 HCPLUS

CN Benzonitrile, 4-[5-[4-(methylsulfonyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-11-5 HCPLUS


CN Benzeneacetamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915087-12-6 HCPLUS
 CN Benzeneacetamide, N-[4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-N-methyl- (CA INDEX NAME)




RN 915087-13-7 HCPLUS
 CN Methanesulfonamide, N-[4-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]phenyl]- (CA INDEX NAME)




RN 915087-14-8 HCPLUS
 CN Acetamide, N-[4-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]phenyl]- (CA INDEX NAME)




RN 915087-16-0 HCPLUS
 CN Benzamide, 4-[3-{4-cyano-3-(trifluoromethyl)phenyl}-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]-N-methyl- (CA INDEX NAME)



RN 915087-18-2 HCPLUS
 CN Benzonitrile, 4-[5-{4-[(methylamino)methyl]phenyl}-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-19-3 HCPLUS
 CN Benzonitrile, 4-[5-{4-[(dimethylamino)methyl]phenyl}-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-22-8 HCPLUS

CN Benzanide, N-[3-cyano-4-(trifluoromethyl)phenyl]-4-[7-[4-cyano-3-(trifluoromethyl)phenyl]8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915087-23-9 HCPLUS

CN Benzanide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-N-methyl- (CA INDEX NAME)




RN 915087-27-3 HCPLUS

RN Benzamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-2-fluoro-N-methyl- (CA INDEX NAME)




RN 915087-29-5 HCPLUS

CN Benzonitrile, 4-[5-(2-fluoro-4-hydroxyphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-31-9 HCPLUS

CN Benzonitrile, 4-[1-(4-cyano-3-fluorophenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-33-1 HCPLUS

CN Benzamide, 4-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]-2-fluoro-N-methyl- (CA INDEX NAME)




RN 915087-35-3 HCAPLUS

CN Benzamide, 4-[3-[4-cyano-3-(trifluoromethyl)phenyl]-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-1-yl]-2-fluoro-N-methyl- (CA INDEX NAME)



RN 915087-40-0 HCAPLUS


CN Benzenebutanamide, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]-N,N-dimethyl- (CA INDEX NAME)



RN 915087-41-1 HCAPLUS


CN Benzenebutanenitrile, 4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-

thioxo-5,7-diazaspiro[3.4]oct-5-yl]- (CA INDEX NAME)




RN 915087-42-2 HCPLUS

CN Thiourea, N-[4-cyano-3-(trifluoromethyl)phenyl]-N'-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5-(fluoromethyl)-5-methyl-1-(4-methylphenyl)-2-thioxo-4-imidazolidinylidene]- (CA INDEX NAME)



RN 915087-43-3 HCPLUS


CN Thiourea, N-[4-cyano-3-(trifluoromethyl)phenyl]-N'-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-1-(4-methylphenyl)-2-thioxo-4-imidazolidinylidene]- (CA INDEX NAME)



10/590,445


RN 915087-44-4 HCAPLUS

CN Thiourea, N-[4-cyano-3-(trifluoromethyl)phenyl]-N'-[3-{4-cyano-3-(trifluoromethyl)phenyl}-1-(4-hydroxyphenyl)-5,5-dimethyl-2-thioxo-4-imidazolidinylidene]- (CA INDEX NAME)




BN 915087-45-5 HCAPLUS

CN Carbamic acid, [3-[4-cyano-3-(trifluoromethyl)phenyl]-1-(4-hydroxyphenyl)-5,5-dimethyl-2-thioxo-4-imidazolidinylidene]-, 1,1-dimethylethyl ester
(9CI) (CA INDEX NAME)




BN 915087-46-6 HCAPLUS


CN Benzonitrile, 4-[4,4-dimethyl-3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-ido- (CA INDEX NAME)




RN 915087-47-7 HCAPLUS
 CN Benzonitrile, 4-[6-methyl-1-(4-methylphenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915087-48-8 HCAPLUS
 CN Benzonitrile, 4-[1-(4-methylphenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.7]dodec-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-49-9 HCAPLUS
 CN Benzonitrile, 4-[7-methyl-1-(4-methylphenyl)-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-50-2 HCPLUS

CN Thiourea, N-[4-cyano-3-(trifluoromethyl)phenyl]-N'-[7-[4-cyano-3-(trifluoromethyl)phenyl]-5-[4-(hydroxymethyl)phenyl]-6-thioxo-5,7-diazaspiro[3.4]oct-8-ylidene]- (CA INDEX NAME)




RN 915087-51-3 HCPLUS

CN Benzonitrile, 4-[4-(fluoromethyl)-5-imino-4-methyl-3-(4-methylphenyl)-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-52-4 HCAPLUS

CN Benzonitrile, 4-[3-(4-iodophenyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-59-1 HCAPLUS

CN Benzonitrile, 4-[3-(4-methoxyphenyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-60-4 HCAPLUS


CN Benzonitrile, 4,4'-(4,4-dimethyl-5-oxo-2-thioxo-1,3-imidazolidinediyl)bis[2-(trifluoromethyl)]- (CA INDEX NAME)




RN 915087-62-6 HCAPLUS
 CN Benzonitrile, 4-[4-(4-diethyl-3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl)-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915087-63-7 HCAPLUS
 CN Benzonitrile, 4-[4-ethyl-4-methyl-3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915087-64-8 HCAPLUS
 CN 2-Propenoic acid, 3-[4-[7-(4-cyano-3-(trifluoromethyl)phenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]phenyl]- (CA INDEX NAME)



IT 915087-53-5 915087-54-6 915087-55-7


915087-56-8 915087-57-9 915087-58-0

915087-61-5 915087-65-9 915087-66-0

RL: PAC (Pharmacological activity); BIOL (Biological study)
(preparation of diarylhydantoin compds. as androgen receptor antagonists
useful against hormone refractory prostate cancer)


RN 915087-53-5 HCAPLUS

CN Benzonitrile, 4-[3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-54-6 HCAPLUS


CN Benzonitrile, 4-[4-methyl-3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-55-7 HCAPLUS
 CN Benzonitrile, 4-[3-(4-methylphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-56-8 HCAPLUS
 CN Benzonitrile, 4-[3-(4-methylphenyl)-5-oxo-4-propyl-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-57-9 HCAPLUS
 CN Benzonitrile, 4-[3-(4-methoxyphenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 915087-58-0 HCPLUS
 CN Benzonitrile, 4-[3-(4-methoxyphenyl)-4-methyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-61-5 HCPLUS
 CN Benzonitrile, 4,4'-(4-methyl-5-oxo-2-thioxo-1,3-imidazolidinediyil)bis[2-(trifluoromethyl)- (CA INDEX NAME)




RN 915087-65-9 HCPLUS

CN Benzonitrile, 4,4'-(4-oxo-2-thioxo-1,3-imidazolidinediyi)bis[2-(trifluoromethyl)- (CA INDEX NAME)



RN 915087-66-0 HCPLUS

CN Benzonitrile, 4-[3-(4-nitrophenyl)-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




IT 915086-70-3P, 4-(4-Oxo-2-thioxo-1,3-diazaspiro[4.4]nonan-3-yl)-2-trifluoromethylbenzonitrile

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent)

(preparation of diarylhydantoin compds. as androgen receptor antagonists useful against hormone refractory prostate cancer)

RN 915086-70-3 HCPLUS


CN Benzonitrile, 4-(4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl)-2-(trifluoromethyl)- (CA INDEX NAME)



IT 154262-93-8P, 4-(1-Methyl-4-oxo-2-thioxo-1,3-diazaspiro[4.4]nonan-3-yl)-2-trifluoromethylbenzonitrile 154262-97-2P,
 4-(5-Methyl-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-7-yl)-2-trifluoromethylbenzonitrile 154262-99-4P, 4-(1-Methyl-2,4-dioxo-1,3-diazaspiro[4.4]nonan-3-yl)-2-trifluoromethylbenzonitrile
 154263-01-1P, 4-(5-Methyl-6,8-dioxo-5,7-diazaspiro[3.4]octan-7-yl)-2-trifluoromethylbenzonitrile 177338-09-9P, 4-(8-Methyl-4-oxo-2-thioxo-1,3,8-triazaspiro[4.5]decan-3-yl)-2-trifluoromethylbenzonitrile
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (preparation of diarylhydantoin compds. as androgen receptor antagonists useful against hormone refractory prostate cancer)


RN 154262-93-8 HCPLUS

CN Benzonitrile, 4-(1-methyl-4-oxo-2-thioxo-1,3-diazaspiro[4.4]non-3-yl)-2-(trifluoromethyl)- (CA INDEX NAME)




RN 154262-97-2 HCPLUS

CN Benzonitrile, 4-(5-methyl-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-7-yl)-2-(trifluoromethyl)- (CA INDEX NAME)



RN 154262-99-4 HCPLUS


CN Benzonitrile, 4-(1-methyl-2,4-dioxo-1,3-diazaspiro[4.4]non-3-yl)-2-(trifluoromethyl)- (CA INDEX NAME)



RN 154263-01-1 HCPLUS


CN Benzonitrile, 4-(5-methyl-6,8-dioxo-5,7-diazaspiro[3.4]oct-7-yl)-2-

(trifluoromethyl)- (CA INDEX NAME)



RN 177338-09-9 HCPLUS

CN Benzonitrile, 4-(8-methyl-4-oxo-2-thioxo-1,3,8-triazaspiro[4.5]dec-3-yl)-2-(trifluoromethyl)- (CA INDEX NAME)



- IT 62-53-3, Aminobenzene, reactions 67-64-1, Acetone, reactions 75-86-5, Acetone cyanohydrin 91-59-8, 2-Aminonaphthalene 92-67-1, Biphenyl-4-amine 103-72-0, Phenyl thioisocyanate 106-49-0, p-Toluidine, reactions 106-50-3, 1,4-Diaminobenzene, reactions 108-94-1, Cyclohexanone, reactions 118-92-3, Anthranilic acid 120-92-3, Cyclopantanone 123-30-8, 4-Aminophenol 150-13-0, 4-Aminobenzoic acid 350-46-9, 4-Fluoronitrobenzene 394-41-2, 4-Nitro-3-fluorophenol 430-51-3, Fluoroacetone 455-14-1, 4-Trifluoromethylaniline 502-42-1, Cycloheptanone 504-29-0, 2-Aminopyridine 534-07-6, 1,3-Dichloroacetone 540-37-4, 4-Iodoaniline 542-85-8, Ethyl thioisocyanate 654-70-6, 4-Amino-2-trifluoromethylbenzonitrile 695-34-1, 2-Amino-4-methylpyridine 1191-95-3, Cyclobutanone 1194-02-1, 4-Fluorocyanobenzene 1197-55-3, 4-Aminophenylacetic acid 1427-07-2, 2-Fluoro-4-nitrotoluene 1445-73-4, 1-Methyl-4-piperidinone 2393-17-1, 3-(4-Aminophenyl)propionic acid 15118-60-2, 4-(4-Aminophenyl)butyric acid 24424-99-5, Di-*tert*-butyl pyrocarbonate 31230-17-9, 3-Amino-5-methylpyrazole 34667-88-4, 4-Nitro-2-fluorobenzonitrile 54356-04-6, (2-Carbethoxyethylidene)triphenylphosphorane 57260-71-6 177662-76-9, 4-Methylsulfonylphenylamine hydrochloride RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of diarylydantoin compds. as androgen receptor antagonists useful against hormone refractory prostate cancer)
- RN 62-53-3 HCPLUS
CN Benzenamine (CA INDEX NAME)




RN 67-64-1 HCAPLUS
 CN 2-Propanone (CA INDEX NAME)




RN 75-86-5 HCAPLUS
 CN Propanenitrile, 2-hydroxy-2-methyl- (CA INDEX NAME)



RN 91-59-8 HCAPLUS
 CN 2-Naphthalenamine (CA INDEX NAME)




RN 92-67-1 HCAPLUS
 CN [1,1'-Biphenyl]-4-amine (CA INDEX NAME)




RN 103-72-0 HCAPLUS
 CN Benzene, isothiocyanato- (CA INDEX NAME)



RN 106-49-0 HCAPLUS
 CN Benzenamine, 4-methyl- (CA INDEX NAME)




RN 106-50-3 HCAPLUS
 CN 1,4-Benzenediamine (CA INDEX NAME)



RN 108-94-1 HCAPLUS
 CN Cyclohexanone (CA INDEX NAME)




RN 118-92-3 HCAPLUS
 CN Benzoic acid, 2-amino- (CA INDEX NAME)




RN 120-92-3 HCAPLUS
 CN Cyclopentanone (CA INDEX NAME)




RN 123-30-8 HCAPLUS
 CN Phenol, 4-amino- (CA INDEX NAME)




RN 150-13-0 HCAPLUS
 CN Benzoic acid, 4-amino- (CA INDEX NAME)



RN 350-46-9 HCAPLUS
 CN Benzene, 1-fluoro-4-nitro- (CA INDEX NAME)




RN 394-41-2 HCAPLUS
 CN Phenol, 3-fluoro-4-nitro- (CA INDEX NAME)



RN 430-51-3 HCAPLUS
 CN 2-Propanone, 1-fluoro- (8CI, 9CI) (CA INDEX NAME)




RN 455-14-1 HCAPLUS
 CN Benzenamine, 4-(trifluoromethyl)- (CA INDEX NAME)




RN 502-42-1 HCAPLUS
 CN Cycloheptanone (CA INDEX NAME)




RN 504-29-0 HCAPLUS
 CN 2-Pyridinamine (CA INDEX NAME)



RN 534-07-6 HCAPLUS
 CN 2-Propanone, 1,3-dichloro- (CA INDEX NAME)




RN 540-37-4 HCAPLUS
 CN Benzenamine, 4-iodo- (CA INDEX NAME)




RN 542-85-8 HCAPLUS
 CN Ethane, isothiocyanato- (CA INDEX NAME)



RN 654-70-6 HCAPLUS
 CN Benzonitrile, 4-amino-2-(trifluoromethyl)- (CA INDEX NAME)




RN 695-34-1 HCAPLUS
 CN 2-Pyridinamine, 4-methyl- (CA INDEX NAME)




RN 1191-95-3 HCAPLUS
 CN Cyclobutanone (CA INDEX NAME)




RN 1194-02-1 HCAPLUS
 CN Benzonitrile, 4-fluoro- (CA INDEX NAME)



RN 1197-55-3 HCAPLUS
 CN Benzeneacetic acid, 4-amino- (CA INDEX NAME)




RN 1427-07-2 HCAPLUS
 CN Benzene, 2-fluoro-1-methyl-4-nitro- (CA INDEX NAME)




RN 1445-73-4 HCAPLUS
 CN 4-Piperidinone, 1-methyl- (CA INDEX NAME)



RN 2393-17-1 HCAPLUS
 CN Benzenepropanoic acid, 4-amino- (CA INDEX NAME)




RN 15118-60-2 HCAPLUS
 CN Benzenebutanoic acid, 4-amino- (CA INDEX NAME)




RN 24424-99-5 HCAPLUS
 CN Dicarbonic acid, C,C'-bis(1,1-dimethylethyl) ester (CA INDEX NAME)



RN 31230-17-8 HCAPLUS
 CN 1H-Pyrazol-3-amine, 5-methyl- (CA INDEX NAME)



RN 34667-88-4 HCAPLUS
 CN Benzonitrile, 2-fluoro-4-nitro- (CA INDEX NAME)




RN 54356-04-6 HCAPLUS
 CN Propanoic acid, 3-(triphenylphosphoranylidene)-, ethyl ester (CA INDEX NAME)




RN 57260-71-6 HCPLUS

CN 1-Piperazinecarboxylic acid, 1,1-dimethylethyl ester (CA INDEX NAME)



RN 177662-76-9 HCPLUS

CN Benzenamine, 4-(methylsulfonyl)-, hydrochloride (1:1) (CA INDEX NAME)




● HCl

IT 399-95-1P, 4-Amino-3-fluorophenol 403-24-7P,
 2-Fluoro-4-nitrobenzoic acid 619-45-4P, 4-Aminobenzoic acid
 methyl ester 2182-38-9P, 2-Methyl-2-phenylaminopropanenitrile
 6636-88-0P, 1-[(4-Methylphenyl)amino]cyclopentanecarbonitrile
 26850-26-0P, 2-(4-Hydroxyphenylamino)-2-methylpropanenitrile
 49830-37-7P, 1-Aminocyclopentanecarbonitrile 53312-80-4P
 , 4-Amino-2-fluorobenzonitrile 55793-49-2P, 1-
 Methylaminocyclopentanecarbonitrile 70441-12-2P,
 1-[(4-Methylphenyl)amino]cyclohexanecarbonitrile 71026-66-9P,
 (4-Aminophenyl)carbamic acid tert-butyl ester 92647-69-3P,
 1-[(4-Methylphenyl)amino]cycloheptanecarbonitrile 101568-43-8P,
 2-Methyl-2-[(4-methylphenyl)amino]propanenitrile 107553-81-1P,
 4-[Cyanodimethylmethyl]amino]benzoic acid methyl ester
 143782-23-4P, 4-Isothiocyanato-2-trifluoromethylbenzonitrile
 154263-08-8P, 1-Methylaminocyclobutanecarbonitrile
 170911-92-9P, 4-(4-Aminophenyl)piperazine-1-carboxylic acid
 tert-butyl ester 915086-27-0P, [4-[(1-Cyano-1-
 methylethyl)amino]phenyl]carbamic acid tert-butyl ester
 915086-29-1P, [4-[3-(4-Cyano-3-trifluoromethylphenyl)-4-imino-5,5-
 dimethyl-2-thioxoimidazolidin-1-yl]phenyl]carbamic acid tert-butyl ester
 915086-31-6P, 4-[3-(4-Hydroxyphenyl)-5-imino-4,4-dimethyl-2-
 thioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-34-9P, 4-[3-(4-Methylphenyl)-5-imino-4,4-dimethyl-2-
 thioxoimidazolidin-1-yl]-2-trifluoromethylbenzonitrile
 915086-37-2P, 1-[(4-Methylphenyl)amino]cyclobutanecarbonitrile
 915086-41-8P, 4-[4-Imino-2-thioxo-1-(4-methylphenyl)-1,3-
 diazaspiro[4.5]decan-3-yl]-2-trifluoromethylbenzonitrile
 915086-43-0P, 4-[4-Imino-2-thioxo-1-(4-methylphenyl)-1,3-
 diazaspiro[4.6]undecan-3-yl]-2-trifluoromethylbenzonitrile
 915086-45-2P, 1-[(4-Hydroxyphenyl)amino]cyclobutanecarbonitrile
 915086-46-3P, 2-Methyl-2-[(2-carboxyphenyl)amino]propanenitrile
 915086-48-5P, 1-[(Biphenyl-4-yl)amino]cyclobutanecarbonitrile

915086-50-9P, 1-[(2-Naphthyl)amino]cyclobutanecarbonitrile
 915086-52-1P, 2-[(4-Methyl-2-pyridinyl)amino]-2-methylpropanenitrile 915086-54-3P, 2-[(2-Pyridinyl)amino]-2-methylpropanenitrile 915086-56-5P, 1-[(5-Methyl-1H-pyrazol-3-yl)amino]cyclobutanecarbonitrile 915086-60-1P,
 3-Fluoro-2-methyl-2-[(4-methylphenyl)amino]propionitrile 915086-62-3P, 2-Methyl-2-[(4-trifluoromethylphenyl)amino]propanenitrile 915086-64-5P, 3-Chloro-2-chloromethyl-2-[(4-methylphenyl)amino]propanenitrile 915086-67-8P,
 1-[(2-Methylphenyl)amino]cyclobutanecarbonitrile 915086-69-0P,
 4-(4-Imino-2-thioxo-1,3-diazaspiro[4.4]nonan-3-yl)-2-trifluoromethylbenzonitrile 915086-73-6P, 1-Methyl-4-(4-methylphenylamino)piperidine-4-carbonitrile 915086-74-7P,
 4-(4-Imino-8-methyl-2-thioxo-1-(4-methylphenyl)-1,3,8-triazaepiro[4.5]decan-3-yl)-2-trifluoromethylbenzonitrile 915086-80-5P, 1-[(4-Hydroxymethylphenyl)amino]cyclobutanecarbonitrile 915086-86-8P,
 3-[4-(1-Cyanocyclobutylamino)phenyl]propionic acid 915086-92-9P, 4-[4-(1-Cyanocyclobutylamino)phenyl]butyric acid 915086-99-6P, 4-[4-(1-Cyanocyclobutylamino)phenyl]piperazine 915087-04-6P,
 e-3-[4-(4-Cyano-3-trifluoromethylphenyl)-8-oxo-6-thioxo-5,7-diazaspiro[3.4]octan-5-yl]phenylacrylic acid 915087-06-8P,
 1-[(4-Methylsulfonylphenyl)amino]cyclobutanecarbonitrile 915087-08-0P, [4-(1-Cyanocyclobutylamino)phenyl]acetic acid 915087-20-6P, 4-(1-Cyanocyclobutylamino)benzoic acid 915087-24-0P, N-Methyl-2-fluoro-4-nitrobenzamide
 915087-25-1P, N-Methyl-2-fluoro-4-aminobenzamide 915087-26-2P, N-Methyl-4-(1-cyanocyclobutylamino)-2-fluorobenzamide 915087-28-4P, 1-(2-Fluoro-4-hydroxyphenylamino)cyclobutanecarbonitrile 915087-30-8P,
 4-(1-Cyanocyclopentylamino)-2-fluorobenzonitrile 915087-32-0P, N-Methyl-2-fluoro-4-[(1-cyanocyclopentyl)amino]benzamide 915087-34-2P, N-Methyl-2-fluoro-4-[(1-cyanocyclopentyl)amino]benzamide 915087-36-4P,
 4-[4-(2,2,2-Trifluoroacetylaminophenyl]butanoic acid 915087-37-5P, N,N-Dimethyl-4-[4-(2,2,2-Trifluoroacetylaminophenyl]butanamide 915087-38-6P, N,N-Dimethyl-4-(4-aminophenyl)butanamide 915087-39-7P, N,N-Dimethyl-4-[4-(1-cyanocyclobutylamino)phenyl]butanamide
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation of diarylyhydantoin compds. as androgen receptor antagonists useful against hormone refractory prostate cancer)


RN 399-95-1 HCAPLUS

CN Phenol, 4-amino-3-fluoro- (CA INDEX NAME)




RN 403-24-7 HCAPLUS

CN Benzoic acid, 2-fluoro-4-nitro- (CA INDEX NAME)




RN 619-45-4 HCAPLUS
 CN Benzoic acid, 4-amino-, methyl ester (CA INDEX NAME)




RN 2182-38-9 HCAPLUS
 CN Propanenitrile, 2-methyl-2-(phenylamino)- (CA INDEX NAME)



RN 6636-88-0 HCAPLUS
 CN Cyclopentanecarbonitrile, 1-[(4-methylphenyl)amino]- (CA INDEX NAME)




RN 26850-26-0 HCAPLUS
 CN Propanenitrile, 2-[(4-hydroxyphenyl)amino]-2-methyl- (CA INDEX NAME)



RN 49830-37-7 HCAPLUS
 CN Cyclopentanecarbonitrile, 1-amino- (CA INDEX NAME)




RN 53312-80-4 HCPLUS
 CN Benzonitrile, 4-amino-2-fluoro- (CA INDEX NAME)




RN 55793-49-2 HCPLUS
 CN Cyclopentanecarbonitrile, 1-(methylamino)- (CA INDEX NAME)




RN 70441-12-2 HCPLUS
 CN Cyclohexanecarbonitrile, 1-[(4-methylphenyl)amino]- (CA INDEX NAME)




RN 71026-66-9 HCPLUS
 CN Carbamic acid, N-(4-aminophenyl)-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 92647-69-3 HCPLUS
 CN Cycloheptanecarbonitrile, 1-[(4-methylphenyl)amino]- (CA INDEX NAME)




RN 101568-43-8 HCAPLUS
 CN Propanenitrile, 2-methyl-2-[(4-methylphenyl)amino]- (CA INDEX NAME)



RN 107553-81-1 HCAPLUS
 CN Benzoic acid, 4-[(1-cyano-1-methylethyl)amino]-, methyl ester (CA INDEX NAME)




RN 143782-23-4 HCAPLUS
 CN Benzonitrile, 4-isothiocyanato-2-(trifluoromethyl)- (CA INDEX NAME)




RN 154263-08-8 HCAPLUS
 CN Cyclobutane-carbonitrile, 1-(methylamino)- (CA INDEX NAME)




RN 170911-92-9 HCAPLUS
 CN 1-Piperazinecarboxylic acid, 4-(4-aminophenyl)-, 1,1-dimethylethyl ester (CA INDEX NAME)




RN 915086-27-0 HCPLUS
 CN Carbamic acid, [4-((1-cyano-1-methylethyl)amino)phenyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 915086-28-1 HCPLUS
 CN Carbamic acid, [4-[3-(4-cyano-3-(trifluoromethyl)phenyl)-4-imino-5,5-dimethyl-2-thioxo-1-imidazolidinyl]phenyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 915086-31-6 HCPLUS
 CN Benzonitrile, 4-[3-(4-hydroxyphenyl)-5-imino-4,4-dimethyl-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-34-9 HCAPLUS
 CN Benzonitrile, 4-[5-imino-4,4-dimethyl-3-(4-methylphenyl)-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-37-2 HCAPLUS
 CN Cyclobutanecarbonitrile, 1-[(4-methylphenyl)amino]- (CA INDEX NAME)




RN 915086-41-8 HCAPLUS
 CN Benzonitrile, 4-[4-imino-1-(4-methylphenyl)-2-thioxo-1,3-diazaspiro[4.5]dec-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-43-0 HCAPLUS
 CN Benzonitrile, 4-[4-imino-1-(4-methylphenyl)-2-thioxo-1,3-diazaspiro[4.6]undec-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-45-2 HCAPLUS
 CN Cyclobutane carbonitrile, 1-[(4-hydroxyphenyl)amino]- (CA INDEX NAME)




RN 915086-46-3 HCAPLUS
 CN Benzoic acid, 2-[(1-cyano-1-methylethyl)amino]- (CA INDEX NAME)




RN 915086-48-5 HCAPLUS
 CN Cyclobutane carbonitrile, 1-[(1,1'-biphenyl)-4-ylamino]- (CA INDEX NAME)




RN 915086-50-9 HCPLUS
 CN Cyclobutanecarbonitrile, 1-(2-naphthalenylamino)- (CA INDEX NAME)




RN 915086-52-1 HCPLUS
 CN Propanenitrile, 2-methyl-2-[(4-methyl-2-pyridinyl)amino]- (CA INDEX NAME)




RN 915086-54-3 HCPLUS
 CN Propanenitrile, 2-methyl-2-(2-pyridinylamino)- (CA INDEX NAME)




RN 915086-56-5 HCPLUS
 CN Cyclobutanecarbonitrile, 1-[(5-methyl-1H-pyrazol-3-yl)amino]- (CA INDEX NAME)




RN 915086-60-1 HCPLUS
 CN Propanenitrile, 3-fluoro-2-methyl-2-[(4-methylphenyl)amino]- (CA INDEX NAME)




RN 915086-62-3 HCPLUS
 CN Propanenitrile, 2-methyl-2-[(4-(trifluoromethyl)phenyl)amino]- (CA INDEX NAME)




RN 915086-64-5 HCPLUS
 CN Propanenitrile, 3-chloro-2-(chloromethyl)-2-[(4-methylphenyl)amino]- (CA INDEX NAME)




RN 915086-67-8 HCPLUS
 CN Cyclobutanecarbonitrile, 1-[(2-methylphenyl)amino]- (CA INDEX NAME)




RN 915086-69-0 HCPLUS
 CN Benzonitrile, 4-(4-imino-2-thioxo-1,3-diazaspiro[4.4]non-3-yl)-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-73-6 HCPLUS
 CN 4-Piperidinecarbonitrile, 1-methyl-4-[(4-methylphenyl)amino]- (CA INDEX NAME)




RN 915086-74-7 HCAPLUS
 CN Benzonitrile, 4-[4-imino-8-methyl-1-(4-methylphenyl)-2-thioxo-1,3,8-triazaspiro[4.5]dec-3-yl]-2-(trifluoromethyl)- (CA INDEX NAME)




RN 915086-80-5 HCAPLUS
 CN Cyclobutane-1-carbonitrile, 1-[(4-hydroxymethyl)phenyl]amino- (CA INDEX NAME)



RN 915086-86-1 HCAPLUS
 CN Benzenepropanoic acid, 4-[(1-cyanocyclobutyl)amino]- (CA INDEX NAME)




RN 915086-92-9 HCAPLUS
 CN Benzenebutanoic acid, 4-[(1-cyanocyclobutyl)amino]- (CA INDEX NAME)



RN 915086-99-6 HCAPLUS

10/590,445


CN 1-Piperazinecarboxylic acid, 4-[4-[(1-cyanocyclobutyl)amino]phenyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)



RN 915087-04-6 HCPLUS


CN 2-Propenoic acid, 3-[4-[7-[4-cyano-3-(trifluoromethyl)phenyl]-8-oxo-6-thioxo-5,7-diazaspiro[3.4]oct-5-yl]phenyl]-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.




RN 915087-06-8 HCPLUS

CN Cyclobutanecarbonitrile, 1-[(4-(methylsulfonyl)phenyl)amino]- (CA INDEX NAME)




RN 915087-08-0 HCPLUS


CN Benzeneacetic acid, 4-[(1-cyanocyclobutyl)amino]- (CA INDEX NAME)




RN 915087-20-6 HCPLUS
 CN Benzoic acid, 4-[(1-cyanocyclobutyl)amino]- (CA INDEX NAME)




RN 915087-24-0 HCPLUS
 CN Benzamide, 2-fluoro-N-methyl-4-nitro- (CA INDEX NAME)




RN 915087-25-1 HCPLUS
 CN Benzamide, 4-amino-2-fluoro-N-methyl- (CA INDEX NAME)




RN 915087-26-2 HCPLUS
 CN Benzamide, 4-[(1-cyanocyclobutyl)amino]-2-fluoro-N-methyl- (CA INDEX NAME)




RN 915087-28-4 HCPLUS
 CN Cyclobutanecarbonitrile, 1-[(2-fluoro-4-hydroxyphenyl)amino]- (CA INDEX NAME)




RN 915087-30-8 HCAPLUS
 CN Benzonitrile, 4-[(1-cyanocyclopentyl)amino]-2-fluoro- (CA INDEX NAME)




RN 915087-32-0 HCAPLUS
 CN Benzamide, 4-[(1-cyano-1-methylethyl)amino]-2-fluoro-N-methyl- (CA INDEX NAME)




RN 915087-34-2 HCAPLUS
 CN Benzamide, 4-[(1-cyanocyclopentyl)amino]-2-fluoro-N-methyl- (CA INDEX NAME)




RN 915087-36-4 HCAPLUS
 CN Benzenebutanoic acid, 4-[(2,2,2-trifluoroacetyl)amino]- (CA INDEX NAME)




RN 915087-37-5 HCAPLUS
 CN Benzenebutanamide, N,N-dimethyl-4-[(2,2,2-trifluoroacetyl)amino]- (CA INDEX NAME)




RN 915087-38-6 HCPLUS
 CN Benzenebutanamide, 4-amino-N,N-dimethyl- (CA INDEX NAME)



RN 915087-39-7 HCPLUS
 CN Benzenebutanamide, 4-[(1-cyanocyclobutyl)amino]-N,N-dimethyl- (CA INDEX NAME)



IT 5470-49-5B, 4-Methylsulfonylphenylamine
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of diarylhydantoin compds. as androgen receptor antagonists
 useful against hormone refractory prostate cancer)
 RN 5470-49-5 HCPLUS
 CN Benzenamine, 4-(methylsulfonyl)- (CA INDEX NAME)




REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 2 HCPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2005:1154369 HCPLUS Full-text
 DOCUMENT NUMBER: 143:432632
 TITLE: Androgen receptor-based methods and materials for assessing prostate cancer therapies, and compounds
 INVENTOR(S): Jung, Michael E.; Ouk, Samedy; Sawyers, Charles L.; Chen, Charlie D.; Weisbie, Derek

PATENT ASSIGNEE(S): The Regents of the University of California, USA
 SOURCE: PCT Int. Appl., 44 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005099693	A2	20051027	WO 2005-US5529	20050223
WO 2005099693	A3	20060126		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, T2, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2005232526	A1	20051027	AU 2005-232526	20050223
US 20070191443	A1	20070816	US 2006-590445	20060824
US 20080090888	A2	20080417		
PRIORITY APPLN. INFO.:			US 2004-547101P	P 20040224
			WO 2005-US5529	W 20050223

OTHER SOURCE(S): MARPAT 143:432632
 GI



AB A modest (2-5 fold) increase in androgen receptor (AR) mRNA is the only expression change consistently associated with developing resistance to antiandrogen therapy. Increased levels of AR confer resistance to antiandrogens by amplifying signal output from low levels of residual ligand and altering the normal response to antagonists. The invention provides cell-based assays for use in the examination of new therapeutic modalities and provides for the design of antiandrogen compds. The invention further provides azido compds. which bind to the ligand-binding domain of the androgen receptor and inhibit prostate cancer growth. Preparation of such compds., e.g. I, is described.

IT 362601-16-9, Kallikrein 2

RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (methods and materials for assessing prostate cancer therapies and
 compds.)

RN 362607-76-9 HCAPLUS

CN Kallikrein 2 (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IT 290585-91-0 323463-63-4, GenBank AL582808

RL: BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
 (methods and materials for assessing prostate cancer therapies and compds.)

RN 290585-91-0 HCPLUS

CN DNA (human cell line MGCG clone IMAGE:3944195 EST (expressed sequence tag)) (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

RN 323463-63-4 HCPLUS

CN DNA (human cell line RAMOS CELL LINE clone CS0DL008YF05 EST (expressed sequence tag)) (9CI) (CA INDEX NAME)


*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

IT 90357-06-5, Bicalutamide

RL: PAC (Pharmacological activity); BIOL (Biological study)
 (methods and materials for assessing prostate cancer therapies and compds.)

RN 90357-06-5 HCPLUS

CN Propanamide, N-[4-cyano-3-(trifluoromethyl)phenyl]-3-[(4-fluorophenyl)sulfonyl]-2-hydroxy-2-methyl- (CA INDEX NAME)



IT 75-86-5 654-70-6 14860-64-1 88192-19-2

88192-20-5 148759-41-5 349553-73-7

867338-62-3 867338-63-4

RL: RCT (Reactant); RACT (Reactant or reagent)

(methods and materials for assessing prostate cancer therapies and compds.)

RN 75-86-5 HCPLUS

CN Propanenitrile, 2-hydroxy-2-methyl- (CA INDEX NAME)




RN 654-70-6 HCPLUS

CN Benzonitrile, 4-amino-2-(trifluoromethyl)- (CA INDEX NAME)



RN 14860-64-1 HCAPLUS
 CN Benzenamine, 4-azido- (CA INDEX NAME)




RN 88192-19-2 HCAPLUS
 CN 1-Propanamine, 3-azido- (CA INDEX NAME)



RN 88192-20-5 HCAPLUS
 CN 1-Butanamine, 4-azido- (CA INDEX NAME)



RN 148759-41-5 HCAPLUS
 CN 1-Pentanamine, 5-azido- (CA INDEX NAME)



RN 349553-73-7 HCAPLUS
 CN 1-Hexanamine, 6-azido- (CA INDEX NAME)



RN 867338-62-3 HCAPLUS
 CN 1-Heptanamine, 7-azido- (CA INDEX NAME)



RN 867338-63-4 HCAPLUS


10/590,445

CN 1-Octanamine, 8-azido- (CA INDEX NAME)



RESULTS FROM REGISTRY, CAPLUS, AND USPATFULL

=> d que stat 122
L13 STR



VAR G1=23/25
NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
DEFAULT ELEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 27

STEREO ATTRIBUTES: NONE
L15 18 SEA FILE=REGISTRY SSS FUL L13
L16 5 SEA FILE=HCAPLUS ABB=ON L15
L17 3 SEA FILE=HCAPLUS ABB=ON L16 AND ?PROSTATE?(5A) (?CANCER? OR
CELL?)
L19 5 SEA FILE=HCAPLUS ABB=ON L16 OR L17
L20 3 SEA FILE=HCAPLUS ABB=ON L19 AND (PRD<20040224 OR PD<20040224)

L21 3 SEA FILE=USPATFULL ABB=ON L19 AND (PRD<20040224 OR PD<20040224
)
L22 6 DUP REMOV L20 L21 (0 DUPLICATES REMOVED)

=> d ibib abs hitstr 122 1-6

L22 ANSWER 1 OF 6 USPATFULL on STN
ACCESSION NUMBER: 2001:18495 USPATFULL Full-text
TITLE: Androgen receptor suppressors in the therapy and
diagnosis of prostate cancer,
alopecia and other hyper-androgenic syndromes
INVENTOR(S): Sovak, Milos, La Jolla, CA, United States
Seligson, Allen L., San Marcos, CA, United States
Douglass, III, James Gordon, San Diego, CA, United
States
Campion, Brian, Leucadia, CA, United States
Brown, Jason W., San Diego, CA, United States
PATENT ASSIGNEE(S): Biophysica, Inc., La Jolla, CA, United States (U.S.
corporation)


	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 6184249	B1	20010206	<--
APPLICATION INFO.:	US 1998-215351		19981218 (9)	
DOCUMENT TYPE:	Utility			
FILE SEGMENT:	Granted			

PRIMARY EXAMINER: Higel, Floyd D.
 ASSISTANT EXAMINER: Sackey, Ebenezer
 LEGAL REPRESENTATIVE: Rowland, Bertram I.Rae-Venter Law Group, P.C.
 NUMBER OF CLAIMS: 7
 EXEMPLARY CLAIM: 1
 LINE COUNT: 985
 CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Substituted phenylalanines are provided comprising an hydantoin, urea or 2-hydroxy, 2-methylpropionyl group, dimers thereof and alkyl, polyfluoroamido and haloarylamino derivatives thereof, as well as radiolabeled derivatives thereof. The compounds bind specifically to the androgen receptor and find use in the therapy of indications associated with the androgen receptor, such as, hirsutism, acne and androgenetic alopecia, and in the therapy and diagnosis of cell hyperplasia dependent on androgens.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 279228-95-4P (preparation of amides and ureas as androgen receptor suppressors)
 RN 279228-95-4 USPATFULL
 CN Butanamide, N-[4-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]butyl]-2,2,3,4,4,4-heptafluoro- (CA INDEX NAME)





L22 ANSWER 2 OF 6 HCPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2000:441763 HCPLUS Full-text
 DOCUMENT NUMBER: 133:73866
 TITLE: Preparation of amides and ureas as androgen receptor suppressors
 INVENTOR(S): Sovak, Milos; Seligson, Allen L.; Douglas, James Gordon, III; Campion, Brian; Brown, Jason W.
 PATENT ASSIGNEE(S): Biophysica, Inc., USA
 SOURCE: PCT Int. Appl., 33 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 4
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000037430	A2	20000629	WO 1999-US26862	19991112 <--
WO 2000037430	A3	20030417		

W: AU, CZ, HU, IL, JP, NO, PL, SK, ZA

RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL,
PT, SE
 US 6184249 B1 20010206 US 1998-215351 19981218 <--
 EP 1144366 A2 20011017 EP 1999-958948 19991112 <--
 EP 1144366 A3 20030604
 EP 1144366 B1 20070627
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, FI, CY
 AT 365707 T 20070715 AT 1999-958948 19991112 <--
 PRIORITY APPLN. INFO.: US 1998-215351 A 19981218 <--
 WO 1999-US26862 W 19991112 <--
 OTHER SOURCE(S): MARPAT 133:73866
 GI




AB The title compds. [I; X = NO₂, CN, halo; V = CF₃, halo, H; W = OH when T = H, and W = Me when T and T₁ are taken together to form a C:Z bridge; U = N when T and T₁ are taken together to form a C:Z bridge or is taken together with T₁ to form a bond or O, S or N; n = 1-2 and d = 0-1; Y = a bond, C1-10 linking group containing heteroatoms; Z, when other than taken together with Y, = (un)saturated aliphatic, polyfluoroacrylamidoalkyl] and their radiolabeled derivs. which bind specifically to the androgen receptor and find use in indication associated with the androgen receptor, such as cell hyperplasia dependent on androgens, hirsutism, acne and androgenetic alopecia, were prepared. Thus, treatment of 4-nitro-3-trifluoromethyl-N-(2,3-epoxy-2-methylpropionyl)aniline in MeOH with NH₃ in pressure reactor followed by reacting 4-nitro-3-trifluoromethyl-N-(2-hydroxy-2-methyl-3-aminopropionyl)aniline with heptafluorobutyryl chloride afforded II. Biol. data for compds. I were given.

IT 279228-95-4P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses) (preparation of amides and ureas as androgen receptor suppressors)

RN 279228-95-4 HCPLUS

CN Butanamide, N-[4-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]butyl]-2,2,3,3,4,4,4-heptafluoro- (CA INDEX NAME)



L22 ANSWER 3 OF 6 USPATFULL on STN

ACCESSION NUMBER: 1998:104761 USPATFULL Full-text
 TITLE: Taxoids
 INVENTOR(S): Bressi, Jerome C., San Diego, CA, United States
 Douglass, III, James G., San Diego, CA, United States
 Seligson, Allen, Poway, CA, United States
 Sovak, Milos, LaJolla, CA, United States
 PATENT ASSIGNEE(S): Biophysica Foundation, LaJolla, CA, United States (U.S. corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5801191		19980901	<--
APPLICATION INFO.:	US 1995-457674		19950601 (8)	
DOCUMENT TYPE:	Utility			
FILE SEGMENT:	Granted			
PRIMARY EXAMINER:	Trinh, Ba K.			
LEGAL REPRESENTATIVE:	Trecartin, Richard F.			
NUMBER OF CLAIMS:	23			
EXEMPLARY CLAIM:	1			
NUMBER OF DRAWINGS:	10 Drawing Figure(s); 10 Drawing Page(s)			
LINE COUNT:	941			
CAS INDEXING IS AVAILABLE FOR THIS PATENT.				
AB	Novel taxoids are provided having enhanced water solubility and/or improved pharmacological properties as compared to paclitaxel. The subject taxoids comprise a functional group attached to a paclitaxel at the C-2' and/or C-7 position by a linking group. Functional groups present in the subject taxoids may be hydrophilic chains, groups capable of in vivo conversion to hydrophilic chains, targeting moieties capable of specifically binding with cellular receptors and water soluble polymers of at least 5 kD. The subject taxoids find use in the treatment of hosts suffering from a cellular proliferative disease.			

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 186040-53-9P, BP 196


(novel taxoids as antiproliferative agents)

RN 186040-53-9 USPATFULL

CN Benzenepropanoic acid, β -(benzoylamino)- α -hydroxy-,
 (2aR, 4S, 4aS, 6R, 9S, 11S, 12S, 12aR, 12bS)-6, 12b-bis(acetoxyloxy)-12-
 (benzoxyloxy)-4-[[[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-
 4-oxo-2-thioxo-1-imidazolidinyl]ethyl]amino]carbonyloxy]-
 2a, 3, 4, 4a, 5, 6, 9, 10, 11, 12, 12a, 12b-dodecahydro-11-hydroxy-4a, 8, 13, 13-
 tetramethyl-5-oxo-7, 11-methano-1H-cyclodeca[3, 4]benz[1, 2-b]oxet-9-yl
 ester, (α R, β S)- (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B

—CN

PAGE 2-A




IT 185946-99-0
 (novel taxoids as antiproliferative agents)
 RN 185946-99-0 USPATFULL
 CN Benzonitrile, 4-[3-(2-aminoethyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)



L22 ANSWER 4 OF 6 HCPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 1997:148858 HCPLUS Full-text
DOCUMENT NUMBER: 126:162276
ORIGINAL REFERENCE NO.: 126:31288h,31289a
TITLE: Androgenic receptor-binding phenylthiohydantoins for diagnosis and treatment of prostate cancer
INVENTOR(S): Sovak, Milos; Bressi, Jerome C.; Douglass, James Gordon, III; Campion, Brian; Wrasidlo, Wolfgang
PATENT ASSIGNEE(S): Biophysica Foundation, USA; Sovak, Milos; Bressi, Jerome C.; Douglass, James Gordon, III; Campion, Brian; Wrasidlo, Wolfgang
SOURCE: PCT Int. Appl., 32 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9700071	A1	19970103	WO 1996-US10286	19960613 <--
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA				
US 5656651	A	19970812	US 1995-491130	19950616 <--
CA 2225484	A1	19970103	CA 1996-2225484	19960613 <--
AU 9663329	A	19970115	AU 1996-63329	19960613 <--
AU 712609	B2	19991111		
EP 854716	A1	19980729	EP 1996-9224463	19960613 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 10510845	T	19981020	JP 1996-503330	19960613 <--
PRIORITY APLN. INFO.:			US 1995-491130	A 19950616 <--
OTHER SOURCE(S):	MARPAT 126:162276		WO 1996-US10286	W 19960613 <--
GI				




AB Substituted phenylthiohydantoins (I; X, Y = O, S, NH; R = aliphatic, aryl, or aralkyl linking group) are provided for use in detecting tumor cells having androgenic receptors. These compds. can be used for specific targeting to the androgenic receptor-containing cells of cytostatic and/or cytotoxic agents, heavy or light radioactive or radiopaque atoms, etc. for detection and treatment of cancer cells containing androgenic receptors (e.g. prostate cancer cells). Thus, cycloaddn. of 2-[(N-(tert-butoxycarbonyl)amino)ethyl]amino to 2-trifluoromethyl-4-isothiocyanatobenzonitrile produced I (X = NH, Y = S, R = CH₂CH₂NHO₂Bu-t) (BP-136), which was converted to the unprotected aminoethyl derivative (BP-138) with HCl. BP-138 was conjugated with 2'-(triethylsilyloxy)-7-(p-nitrophenoxycarbonyl)paclitaxel (preparation given) to produce a targeted cytotoxic agent.

IT 185946-99-0P 186798-84-5P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(androgenic receptor-binding phenylthiohydantoins for diagnosis and treatment of prostate cancer)



RN 185946-99-0 HCPLUS

CN Benzonitrile, 4-[3-(2-aminoethyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)



RN 186798-84-5 HCPLUS

CN Benzenepropanamide, N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]-4-hydroxy- (CA INDEX NAME)




IT 186040-53-9P 186798-65-2P 186798-70-9P
186798-71-0P 186798-85-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(androgenic receptor-binding phenylthiohydantoins for diagnosis and treatment of prostate cancer)

RN 186040-53-9 HCPLUS

CN Benzenepropanoic acid, β -(benzoylamino)- α -hydroxy-,
(2aR,4S,4aS,6R,9S,11S,12S,12aR,12bS)-6,12b-bis(acetyloxy)-12-(benzoyloxy)-4-[[[[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]amino]carbonyl]oxy]-2a,3,4,4a,5,6,9,10,11,12,12a,12b-dodecahydro-11-hydroxy-4a,8,13,13-tetramethyl-5-oxo-7,11-methano-1H-cyclodeca[3,4]benz[1,2-b]oxet-9-yl ester, (α R, β S)- (CA INDEX NAME)

Absolute stereochemistry.




—CN




RN 186798-65-2 HCAPLUS

CN Carbamic acid, [2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)




RN 186798-70-9 HCPLUS

CN Acetamide, N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]- (CA INDEX NAME)





RN 186798-71-0 HCPLUS

CN Glycynamide, N-[(triphenylmethyl)thio]acetylglycyl-N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]- (9CI) (CA INDEX NAME)



RN 186798-85-6 HCPLUS

CN Benzene propanamide, N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]-4-hydroxy-3,5-diido- (CA INDEX NAME)




IT 186798-95-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (androgenic receptor-binding phenylthiohydantoins for diagnosis and treatment of prostate cancer)

RN 186798-95-8 HCAPLUS

CN Benzenepropanoic acid, β -(benzoylamino)- α -[(triethylsilyl)oxy]-, (2aR,4S,4aS,6R,9S,11S,12S,12aR,12bS)-6,12b-bis(acetoxy)-12-(benzoyloxy)-4-[[[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]amino]carbonyl]oxy]-2a,3,4,4a,5,6,9,10,11,12,12a,12b-dodecahydro-11-hydroxy-4a,8,13,13-tetramethyl-5-oxo-7,11-methano-1H-cyclodeca[3,4]benz[1,2-b]oxet-9-yl ester, (α R, β S)- (CA INDEX NAME)

Absolute stereochemistry.



—CN



L22 ANSWER 5 OF 6 USPATFULL on STN
 ACCESSION NUMBER: 97:71085 USPATFULL Full-text
 TITLE: Androgenic directed compositions
 INVENTOR(S): Sovak, Milos, La Jolla, CA, United States
 Bressi, Jerome C., San Diego, CA, United States
 Douglass, III, James Gordon, San Diego, CA, United States
 Campion, Brian, Solana Beach, CA, United States
 Wrasicllo, Wolfgang, La Jolla, CA, United States
 PATENT ASSIGNEE(S): Biophysica Inc., La Jolla, CA, United States (U.S.
 corporation)

	NUMBER	KIND	DATE	
PATENT INFORMATION:	US 5656651		19970812	<--
APPLICATION INFO.:	US 1995-491130		19950616 (8)	


DOCUMENT TYPE: Utility
 FILE SEGMENT: Granted
 PRIMARY EXAMINER: Higel, Floyd D.
 LEGAL REPRESENTATIVE: Flehr Hohbach Test Albritton & Herbert LLP
 NUMBER OF CLAIMS: 7
 EXEMPLARY CLAIM: 1
 LINE COUNT: 767

CAS INDEXING IS AVAILABLE FOR THIS PATENT.



AB Substituted phenylthiohydantoins are provided for use in detecting the presence of tumor cells having androgenic receptors and providing for cytostatic and cytotoxic activity toward such cells. The subject compounds provide for vehicles for specific targeting to the androgenic receptor containing cells of cytostatic and/or cytotoxic agents, heavy or light radioactive or radioopaque atoms, and the like for detection and treatment of cancer cells involving androgenic receptors or blocking androgenic receptors.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 185946-99-0P 186798-84-5P
 (androgenic receptor-binding phenylthiohydantoins for diagnosis and treatment of prostate cancer)
 RN 185946-99-0 USPATFULL
 CN Benzonitrile, 4-(3-(2-aminoethyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl)-2-(trifluoromethyl)- (CA INDEX NAME)




RN 186798-84-5 USPATFULL
 CN Benzenepropanamide, N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]-4-hydroxy- (CA INDEX NAME)



- IT 186040-53-9P 186798-65-2P 186798-70-9P
 186798-71-0P 186798-85-6P
 (androgenic receptor-binding phenylthiohydantoins for diagnosis and
 treatment of prostate cancer)
- RN 186040-53-9 USPATFULL
- CN Benzenespropanoic acid, β -(benzoylamino)- α -hydroxy-,
 (2aR, 4S, 4aS, 6R, 9S, 11S, 12S, 12aR, 12bS)-6,12b-bis(acetoxyloxy)-12-
 (benzoyloxy)-4-[(2-[3-(4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-
 4-oxo-2-thioxo-1-imidazolidinyl]ethyl)amino]carbonyloxy]-
 2a,3,4,4a,5,6,9,10,11,12,12a,12b-dodecahydro-11-hydroxy-4a,8,13,13-
 tetramethyl-5-oxo-7,11-methano-1H-cyclodeca[3,4]benz[1,2-b]oxet-9-yl
 ester, (α R, β S)- (CA INDEX NAME)


Absolute stereochemistry.



—CN




RN 186798-65-2 USPATFULL
 CN Carbamic acid, [2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]-, 1,1-dimethylethyl ester (9CI)
 (CA INDEX NAME)




RN 186798-70-9 USPATFULL

CN Acetamide, N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]- (CA INDEX NAME)





RN 186798-71-0 USPATFULL

CN Glycinamide, N-[(trifluoromethyl)phenyl]acetyl]glycyl-N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]- (9CI) (CA INDEX NAME)



RN 186798-85-6 USPATFULL

CN Benzenepropanamide, N-[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]-4-hydroxy-3,5-diido- (CA INDEX NAME)




IT 186798-95-8P

(androgenic receptor-binding phenylthiohydantoins for diagnosis and treatment of prostate cancer)

RN 186798-95-8 USPATFULL

CN Benzenepropanoic acid, β -(benzoylamino)- α -[(triethylsilyl)oxy]-, (2aR,4S,4aS,6R,9S,11S,12S,12aR,12bS)-6,12b-bis(acetoxy)-12-(benzyloxy)-4-[[[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-1-imidazolidinyl]ethyl]amino]carbonyl]oxy]-2a,3,4,4a,5,6,9,10,11,12,12a,12b-dodecahydro-11-hydroxy-4a,8,13,13-tetramethyl-5-oxo-7,11-methano-1H-cyclodeca[3,4]benz[1,2-b]oxet-9-yl ester, (α R, β S)- (CA INDEX NAME)

Absolute stereochemistry.



—CN



L22 ANSWER 6 OF 6 HCPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1997:105187 HCPLUS Full-text
 DOCUMENT NUMBER: 126:113164
 ORIGINAL REFERENCE NO.: 126:21733a,21736a
 TITLE: Novel taxoids as antiproliferative agents
 INVENTOR(S): Sovak, Milos; Douglass, James G.; Bressi, Jerome C.;
 Seligson, Allen
 PATENT ASSIGNEE(S): Biophysica Foundation, USA; Sovak, Milos; Douglass,
 James G.; Bressi, Jerome C.; Seligson, Allen
 SOURCE: PCT Int. Appl., 55 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9638138	A1	19961205	WO 1996-US8245	19960531 <--
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN				
US 5801191	A	19980901	US 1995-457674	19950601 <--
CA 2222299	A1	19961205	CA 1996-2222299	19960531 <--
CA 2222299	C	20010410		
AU 9659622	A	19961218	AU 1996-59622	19960531 <--
AU 713097	B2	19991125		
EP 833628	A1	19980408	EP 1996-916900	19960531 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 10509461	T	19980914	JP 1996-536740	19960531 <--
JP 3425955	B2	20030714		
PRIORITY APPLN. INFO.:			US 1995-457674 WO 1996-US8245	A 19950601 <-- W 19960531 <--

OTHER SOURCE(S): MARPAT 126:113164

AB Novel taxoids are provided having enhanced water solubility and/or improved pharmacol. properties as compared to paclitaxel. The subject taxoids comprise a functional group attached to a paclitaxel at the C-2' and/or C-7 position by a linking group. Functional groups present in the subject taxoids may be hydrophilic chains, groups capable of in vivo conversion to hydrophilic chains, targeting moieties capable of specifically binding with cellular receptors and water soluble polymers of at least 5 kD. The subject taxoids find use in the treatment of hosts suffering from a cellular proliferative disease.


IT 186040-53-9P, BP 196

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(novel taxoids as antiproliferative agents)

RN 186040-53-9 HCPLUS

CN Benzenepropanoic acid, β -(benzoylamino)- α -hydroxy-,
(2aR,4aS,6R,9S,11S,12S,12aR,12bS)-6,12b-bis(acetyloxy)-12-(benzoyloxy)-
4-[[[2-[3-[4-cyano-3-(trifluoromethyl)phenyl]-5,5-dimethyl-4-oxo-2-thioxo-
1-imidazolidinyl]ethyl]amino]carbonyl]oxy]-2a,3,4,4a,5,6,9,10,11,12,12a,12
b-dodecahydro-11-hydroxy-4a,8,13,13-tetramethyl-5-oxo-7,11-methano-1H-
cyclodeca[3,4]benz[1,2-b]oxet-9-yl ester, (α R, β S)- (CA INDEX
NAME)

Absolute stereochemistry.



—CN




IT 185946-99-0

RL: RCT (Reactant); RACT (Reactant or reagent)
(novel taxoids as antiproliferative agents)

RN 185946-99-0 HCAPLUS

CN Benzonitrile, 4-[3-(2-aminoethyl)-4,4-dimethyl-5-oxo-2-thioxo-1-imidazolidinyl]-2-(trifluoromethyl)- (CA INDEX NAME)



SEARCH HISTORY

=> d his ful

(FILE 'HOME' ENTERED AT 10:03:09 ON 15 JUL 2008)

FILE 'HCAPLUS' ENTERED AT 10:04:08 ON 15 JUL 2008

E JUNG MICHAEL E/AU
L1 295 SEA ABB=ON "JUNG MICHAEL E"/AU
E OUK SAMEDY/AU
L2 11 SEA ABB=ON "OUK SAMEDY"/AU
E SAWYERS CHARLES L/AU
L3 148 SEA ABB=ON ("SAWYERS CHARLES"/AU OR "SAWYERS CHARLES L"/AU OR
"SAWYERS CHARLES W"/AU)
E CHEN CHARLIE D/AU
L4 11 SEA ABB=ON ("CHEN CHARLIE D"/AU OR "CHEN CHARLIE DEGUI"/AU)
E WELSBlE DEREK/AU
L5 9 SEA ABB=ON ("WELSBlE DEREK"/AU OR "WELSBlE DEREK S"/AU OR
"WELSBlE DEREK STUART"/AU)
L6 2 SEA ABB=ON L1 AND L2 AND L3 AND L4 AND L5
SELECT RN L6 1-2

FILE 'REGISTRY' ENTERED AT 10:05:21 ON 15 JUL 2008

L7 212 SEA ABB=ON (654-70-6/BI OR 75-86-5/BI OR 90357-06-5/BI OR
101568-43-8/BI OR 103-72-0/BI OR 106-49-0/BI OR 106-50-3/BI OR
107553-81-1/BI OR 108-94-1/BI OR 118-92-3/BI OR 1191-95-3/BI
OR 1194-02-1/BI OR 1197-55-3/BI OR 120-92-3/BI OR 123-30-8/BI
OR 1427-07-2/BI OR 143782-23-4/BI OR 1445-73-4/BI OR 14860-64-1
/BI OR 148759-41-5/BI OR 150-130-0/BI OR 15118-60-2/BI OR
154262-93-8/BI OR 154262-97-2/BI OR 154262-99-4/BI OR 154263-01
-1/BI OR 154263-08-8/BI OR 155180-53-3/BI OR 170911-92-9/BI OR
177338-09-9/BI OR 177662-76-9/BI OR 2182-38-9/BI OR 2393-17-1/B
I OR 24424-99-5/BI OR 26850-26-0/BI OR 290585-91-0/BI OR
31230-17-8/BI OR 323463-63-4/BI OR 34667-88-4/BI OR 349553-73-7
/BI OR 350-46-9/BI OR 362607-76-9/BI OR 394-41-2/BI OR
399-95-1/BI OR 403-24-7/BI OR 430-51-3/BI OR 455-14-1/BI OR
49830-37-7/BI OR 502-42-1/BI OR 504-29-0/BI OR 53312-80-4/BI
OR 534-07-6/BI OR 540-37-4/BI OR 542-85-8/BI OR 54356-04-6/BI
OR 5470-49-5/BI OR 55793-49-2/BI OR 57260-71-6/BI OR 619-45-4/B
I OR 62-53-3/BI OR 6636-88-0/BI OR 67-64-1/BI OR 695-34-1/BI
OR 70441-12-2/BI OR 71026-66-9/BI OR 867338-62-3/BI OR
867338-63-4/BI OR 88192-19-2/BI OR 88192-20-5/BI OR 91-59-8/BI
OR 915086-27-0/BI OR 915086-28-1/BI OR 915086-29-2/BI OR
915086-30-5/BI OR 915086-31-6/BI OR 915086-32-7/BI OR 915086-33
-8/BI OR 915086-34-9/BI OR 915086-35-0/BI OR 915086-36-1/BI OR
915086-37-2/BI OR 915086-38-3/BI OR 915086-39-4/BI OR 915086-40
-7/BI OR 915086-41-8/BI OR 915086-42-9/BI OR 915086-43-0/BI OR
915086-44-1/BI OR 915086-45-2/BI OR 915086-46-3/BI OR 915086-47
-4/BI OR 915086-48-5/BI OR 915086-49-6/BI OR 915086-50-9/BI OR
915086-51-0/BI OR 915086-52-1/BI OR 915086-53-2/BI OR 915086-54
-3/BI OR 915086-55-4/BI OR 915086-56-5/BI OR 915086-57-6/BI OR
915086-58-7/BI OR 915086-59-8/BI OR 915086-60-1/BI OR 915086-61
-2/BI OR 915086-62-3/BI OR 915086-63-4/BI OR 915086-64-5/BI OR
915086-65-6/BI OR 915086-66-7/BI OR 915086-67-8/BI OR 915086-68
-9/BI OR 915086-69-0/BI OR 915086-70-3/BI OR 915086-71-4/BI OR
915086-72-5/BI OR 915086-73-6/BI OR 915086-74-7/BI OR 915086-75
-8/BI

FILE 'HCAPLUS' ENTERED AT 10:05:42 ON 15 JUL 2008

10/590,445

L8 2 SEA ABB=ON L6 AND L7

FILE 'REGISTRY' ENTERED AT 10:07:08 ON 15 JUL 2008

L9 STR
L10 0 SEA SSS SAM L9
L11 STR L9
L12 21 SEA SSS SAM L11
L13 STR L11
L14 1 SEA SSS SAM L13
L15 18 SEA SSS FUL L13

FILE 'HCAPLUS' ENTERED AT 10:24:29 ON 15 JUL 2008

L16 5 SEA ABB=ON L15
L17 3 SEA ABB=ON L16 AND ?PROSTATE?(5A) (?CANCER? OR CELL?)
L18 5 SEA ABB=ON L16 AND (?EXOGEN? OR ?WILD? OR ?ANDROGEN? OR
 ?RECEPT? OR ?POLYNUCLEOTID? OR ?HORMON? OR ?REFRACT?)
L19 5 SEA ABB=ON L16 OR L17
L20 3 SEA ABB=ON L19 AND (PRD<20040224 OR PD<20040224)

FILE 'USPATFULL' ENTERED AT 10:29:28 ON 15 JUL 2008

L21 3 SEA ABB=ON L19 AND (PRD<20040224 OR PD<20040224)

FILE 'HCAPLUS, USPATFULL' ENTERED AT 10:29:41 ON 15 JUL 2008

L22 6 DUP REMOV L20 L21 (0 DUPLICATES REMOVED)

FILE HOME

FILE HCAPLUS

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Jul 2008 VOL 149 ISS 3

FILE LAST UPDATED: 14 Jul 2008 (20080714/ED)

HCAplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

FILE REGISTRY

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 JUL 2008 HIGHEST RN 1034013-75-6

DICTIONARY FILE UPDATES: 14 JUL 2008 HIGHEST RN 1034013-75-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

FILE USPATFULL
FILE COVERS 1971 TO PATENT PUBLICATION DATE: 15 Jul 2008 (20080715/PD)
FILE LAST UPDATED: 15 Jul 2008 (20080715/ED)
HIGHEST GRANTED PATENT NUMBER: US7401362
HIGHEST APPLICATION PUBLICATION NUMBER: US20080168588
CA INDEXING IS CURRENT THROUGH 15 Jul 2008 (20080715/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 15 Jul 2008 (20080715/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Jun 2008
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Jun 2008

USPATFULL now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.